





E-mail: codex@fao.org - www.codexalimentarius.org

STANDARD FOR PROCESSED CEREAL-BASED FOODS FOR INFANTS AND YOUNG CHILDREN

CODEX STAN 74-1981

Adopted in 1981. Revised in 2006. Amended in 2017.

1. SCOPE

This standard covers processed cereal-based foods intended for feeding infants as a complementary food generally from the age of 6 months onwards, taking into account infants' individual nutritional requirements, and for feeding young children as part of a progressively diversified diet, in accordance with the Global Strategy for Infant and Young Child Feeding and World Health Assembly Resolution WHA54.2 (2001).

2. DESCRIPTION

Processed cereal-based foods are prepared primarily from one or more milled cereals, which should constitute at least 25% of the final mixture on a dry weight basis.

2.1 **Product definitions**

Four categories are distinguished:

- **2.1.1** Products consisting of cereals which are or have to be prepared for consumption with milk or other appropriate nutritious liquids;
- **2.1.2** Cereals with an added high protein food which are or have to be prepared for consumption with water or other appropriate protein-free liquid;
- 2.1.3 Pasta which are to be used after cooking in boiling water or other appropriate liquids;
- **2.1.4** Rusks and biscuits which are to be used either directly or, after pulverization, with the addition of water, milk or other suitable liquids.

2.2 Other definitions

- **2.2.1** The term infant means a person not more than 12 months of age.
- **2.2.2** The term young children means persons from the age of more than 12 months up to the age of three years (36 months).

3. ESSENTIAL COMPOSITION AND QUALITY FACTORS

3.1 Essential composition

- **3.1.1** The four categories listed in 2.1.1 to 2.1.4 are prepared primarily from one or more milled cereal products, such as wheat, rice, barley, oats, rye, maize, millet, sorghum and buckwheat. They may also contain legumes (pulses), starchy roots (such as arrow root, yam or cassava) or starchy stems or oil seeds in smaller proportions.
- **3.1.2** The requirements concerning energy and nutrients refer to the product ready for use as marketed or prepared according to the instructions of the manufacturer, unless otherwise specified.

3.2 Energy density

The energy density of cereal-based foods should not be less than 3.3 kJ/g (0.8 kcal/g).

3.3 Protein

- **3.3.1** The chemical index of the added protein shall be equal to at least 80% of that of the reference protein casein or the Protein Efficiency Ratio (PER) of the protein in the mixture shall be equal to at least 70% of that of the reference protein casein. In all cases, the addition of amino acids is permitted solely for the purpose of improving the nutritional value of the protein mixture, and only in the proportions necessary for that purpose. Only natural forms of L-amino acids should be used.
- **3.3.2** For products mentioned in points 2.1.2 and 2.1.4, the protein content shall not exceed 1.3 g/100 kJ (5.5 g/100 kcal).
- **3.3.3** For products mentioned in point 2.1.2 the added protein content shall not be less than 0.48 g/100 kJ (2 g/100 kcal).
- **3.3.4** For biscuits mentioned in point 2.1.4 made with the addition of a high protein food, and presented as such, the added protein shall not be less than 0.36 g/100 kJ (1.5 g/ 100 kcal).

3.4 Carbohydrates

- **3.4.1** If sucrose, fructose, glucose, glucose syrup or honey are added to products mentioned in points 2.1.1 and 2.1.4:
 - the amount of added carbohydrates from these sources shall not exceed 1.8 g/100 kJ (7.5 g/100 kcal);
 - the amount of added fructose shall not exceed 0.9 g/100 kJ (3.75 g/100 kcal).

- 3.4.2 If sucrose, fructose, glucose, glucose syrup or honey are added to products mentioned in point 2.1.2:
 - the amount of added carbohydrates from these sources shall not exceed 1.2 g/100 kJ (5 g/100 kcal);
 - the amount of added fructose shall not exceed 0.6 g/100 kJ (2.5 g/100 kcal).

3.5 Lipids

- **3.5.1** For products mentioned in point 2.1.2 the lipid content shall not exceed 1.1g/100 kJ (4.5 g/100 kcal). If the lipid content exceeds 0.8g/100kJ (3.3g/100kcal):
 - the amount of linoleic acid (in the form of triglycerides=linoleates) shall not be less than 70 mg/100 kJ (300 mg/100 kcal) and shall not exceed 285 mg/100 kJ (1200 mg/100 kcal);
 - the amount of lauric acid shall not exceed 15% of the total lipid content;
 - the amount of myristic acid shall not exceed 15% of the total lipid content.
- 3.5.2 Product categories 2.1.1 and 2.1.4 shall not exceed a maximum lipid content of 0.8 g /100 kJ (3.3 g/100 kcal).

3.6 Minerals

- **3.6.1** The sodium content of the products described in Sections 2.1.1 to 2.1.4 of this Standard shall not exceed 24 mg/100 kJ (100 mg/100 kcal) of the ready-to-eat product.
- **3.6.2** The calcium content shall not be less than 20 mg/100 kJ (80 mg/100 kcal) for products mentioned in points 2.1.2.
- **3.6.3** The calcium content shall not be less than 12 mg/100 kJ (50 mg/100 kcal) for products mentioned in point 2.1.4 manufactured with the addition of milk and presented as such.

3.7 Vitamins

- 3.7.1 The amount of vitamin B1 (thiamin) shall not be less than 12.5µg/100 kJ (50µg/100 kcal).
- 3.7.2 For products mentioned in 2.1.2, the amount of vitamin A and vitamin D shall be within the following limits:

	µg/100kJ	µg/100kcal
vitamin A	14-43	60 – 180
(μg retinol equivalents)		
vitamin D	0.25-0.75	1 – 3

These limits are also applicable to other processed cereal-based foods when vitamin A or D are added.

- **3.7.3** Reductions of the maximum amounts for vitamin A and Vitamin D referred to in 3.7.2 and the addition of vitamins and minerals for which specifications are not set above shall be in conformity with the legislation of the country in which the product is sold.
- **3.7.4** Vitamins and/or minerals added should be selected from the Advisory Lists of Nutrient Compounds for Use in Foods for Special Dietary Uses intended for Infants and Children (CAC/GL 10-1979).

3.8 Optional ingredients

- **3.8.1** In addition to the ingredients listed under 3.1, other ingredients suitable for infants who are more than six months of age and for young children can be used.
- **3.8.2** Products containing honey or maple syrup should be processed in such a way as to destroy spores of *Clostridium botulinum*, if present.
- **3.8.3** Only L(+) lactic acid producing cultures may be used.

3.9 Flavourings

The following flavourings may be used:

Ethyl vanillin and vanillin:

Natural fruit extracts and vanilla extract: GMP

7 mg/100 g RTU

3.10 Quality factors

- 3.10.1 All ingredients, including optional ingredients, shall be clean, safe, suitable and of good quality.
- **3.10.2** All processing and drying should be carried out in a manner that minimizes loss of nutritive value, particularly protein quality.

3.10.3 The moisture content of the products shall be governed by good manufacturing practice for the individual product categories and shall be at such a level that there is a minimum loss of nutritive value and at which microorganisms cannot multiply.

3.11 Consistency and particle size

- **3.11.1** When prepared according to the label directions for use, processed cereal-based foods should have a texture appropriate for the spoon feeding of infants or young children of the age for which the product is intended.
- **3.11.2** Rusks and biscuits may be used in the dry form so as to permit and encourage chewing or they may be used in a liquid form, by mixing with water or other suitable liquid that would be similar in consistency to dry cereals.

3.12 Specific prohibition

The product and its components shall not have been treated by ionizing radiation.

The use of partially hydrogenated fats for these products is prohibited.

4. FOOD ADDITIVES

Only the food additives listed in this Section or in the Advisory Lists of Nutrient Compounds for Use in Foods for Special Dietary Uses intended for Infants and Children (CAC/GL 10-1979) may be present in the foods described in Section 2.1 of this Standard, as a result of carry-over from a raw material or other ingredient (including food additive) used to produce the food, subject to the following conditions:

- a) The amount of the food additive in the raw materials or other ingredients (including food additives) does not exceed the maximum level specified; and
- b) The food into which the food additive is carried over does not contain the food additive in greater quantity than would be introduced by the use of the raw materials or ingredients under good manufacturing practice, consistent with the provisions on carry-over in the Preamble of the *General Standard for Food Additives* (CODEX/STAN 192-1995).

The following additives are permitted in the preparation of processed cereal-based foods for infants and young children, as described in Section 2.1 of this Standard (in 100 g of product, ready for consumption prepared following manufacturer's instructions unless otherwise indicated).

INS no.		Maximum level
Emulsifiers		
322	Lecithins	1500 mg
471	Mono- and diglycerides	500 mg Singly or in combination
472a	Acetic and fatty acid esters of glycerol	
472b	Lactic and fatty acid esters of glycerol	
472c	Citric and fatty acid esters of glycerol	
Acidity Regulators		
500 ii	Sodium hydrogen carbonate	GMP
501 ii	Potassium hydrogen carbonate	GMP
170 i	Calcium carbonate	GMP
270	L(+) Lactic acid	GMP
330	Citric acid	GMP
260	Acetic acid	GMP

262 iSodium263Calcium296Malic ad325Sodium only326Potassi form on327Calcium331 iMonosc331 iiTrisodiu332 iiTripotas333Calcium507Hydroch524Sodium525Potassi526Calcium575Glucond334L(+)-Ta	n lactate – L(+)-form only odium citrate im citrate otassium citrate ssium citrate	GMP 500 mg	
263Calcium296Malic ad325Sodium only326Potassi form on327Calcium331 iiMonosc331 iiTrisodiu332 iiMonopc332 iiTripotas333Calcium507Hydroch524Sodium525Potassi526Calcium575Glucond334L(+)-Ta	a acetate cid (DL) – L(+)-form only lactate (solution) – L(+)-form um lactate (solution) – L(+)- ly a lactate – L(+)-form only odium citrate in citrate btassium citrate a citrate horic acid hydroxide um hydroxide b delta-lactone		
296Malic ad325Sodium only326Potassii form on327Calcium331 iMonosc331 iiTrisodiu332 iiMonopc332 iiTripotas333Calcium507Hydroch524Sodium525Potassii526Calcium575Glucond334L(+)-Ta	cid (DL) – L(+)-form only lactate (solution) – L(+)-form um lactate (solution) – L(+)- ly n lactate – L(+)-form only odium citrate um citrate otassium citrate ssium citrate n citrate n citrate n loric acid hydroxide um hydroxide n hydroxide o delta-lactone		
325Sodium only326Potassii form on327Calcium331 iiMonoso331 iiTrisodiu332 iiMonopo332 iiTripotas333Calcium507Hydroch524Sodium525Potassii526Calcium575Glucono334L(+)-Ta	lactate (solution) – $L(+)$ -form um lactate (solution) – $L(+)$ - ly n lactate – $L(+)$ -form only odium citrate in citrate otassium citrate ssium citrate n citrate n citrate n loric acid hydroxide um hydroxide o delta-lactone		
only326Potassin form on327Calcium331 iMonoso331 iiTrisodiu332 iiMonopo332 iiTripotas333Calcium507Hydroch524Sodium525Potassin526Calcium575Glucono334L(+)-Ta	um lactate (solution) – $L(+)$ - ly n lactate – $L(+)$ -form only odium citrate im citrate otassium citrate ssium citrate n citrate n citrate nloric acid hydroxide um hydroxide n hydroxide o delta-lactone		
form on 327 Calcium 331 i Monosc 331 ii Trisodiu 332 i Monopc 332 ii Tripotas 333 Calcium 507 Hydroch 524 Sodium 525 Potassii 526 Calcium 575 Glucono 334 L(+)-Ta	ly n lactate – L(+)-form only odium_citrate im_citrate otassium_citrate ssium_citrate n citrate nloric_acid hydroxide um_hydroxide n hydroxide o delta-lactone		
331 iMonoso331 iiTrisodiu332 iiTrisodiu332 iiTripotas333Calcium507Hydroch524Sodium525Potassii526Calcium575Glucono334L(+)-Ta	odium citrate im citrate otassium citrate ssium citrate n citrate nloric acid hydroxide um hydroxide n hydroxide o delta-lactone		
331 iiTrisodiu332 iiMonopoli332 iiTripotas333Calcium507Hydroch524Sodium525Potassii526Calcium575Glucono334L(+)-Ta	im citrate otassium citrate ssium citrate n citrate nloric acid hydroxide um hydroxide n hydroxide o delta-lactone		
332 iMonopol332 iiTripotas333Calcium507Hydroch524Sodium525Potassii526Calcium575Glucono334L(+)-Ta	otassium citrate ssium citrate n citrate nloric acid hydroxide um hydroxide n hydroxide o delta-lactone		
332 iiTripotas333Calcium507Hydroch524Sodium525Potassii526Calcium575Glucono334L(+)-Ta	ssium citrate n citrate nloric acid hydroxide um hydroxide n hydroxide o delta-lactone		
333Calcium507Hydroch524Sodium525Potassin526Calcium575Glucono334L(+)-Ta	n citrate nloric acid hydroxide um hydroxide n hydroxide o delta-lactone		
507Hydroch524Sodium525Potassi526Calcium575Glucono334L(+)-Ta	hloric acid hydroxide um hydroxide hydroxide o delta-lactone		
524Sodium525Potassi526Calcium575Glucono334L(+)-Ta	hydroxide um hydroxide n hydroxide o delta-lactone		
525 Potassi 526 Calcium 575 Glucono 334 L(+)-Ta	um hydroxide n hydroxide o delta-lactone		
526 Calcium 575 Glucono 334 L(+)-Ta	n hydroxide o delta-lactone		
575 Glucono 334 L(+)-Ta	o delta-lactone		
334 L(+)-Ta			
	rtaric acid – L(+)form only	500 mg	
		0	
335 i Monosc	odiumtartrate	Singly or in combination Tartrates as residue in biscuits and rusks	
335 ii Disodiu	m tartrate		
336 i Monopo only	otassium tartrate -L(+)form		
336 ii Dipotas	sium tartrate – L(+)form only		
337 Potassi L(+)form	um sodium L(+)tartrate n only	Only for pH adjustment	
338 Orthoph	nosphoric acid		
339 i Monosc	dium orthophosphate	440 mg	
339 ii Disodiu	m orthophosphate	Singly or in combination as phosphorous	
339 iii Trisodiu	im orthophosphate		
340 i Monopo	otassium orthophosphate		
340 ii Dipotas	sium orthophosphate		
340 iii Tripotas	sium orthophosphate		
341 i Monoca	lcium orthophosphate		
341 ii Dicalciu	m orthophosphate		
341 iii Tricalciu	um orthophosphate	1	
Antioxidants			
306 Mixed to	copherols concentrate	300 mg/kg fat or oil basis, Singly or in combination	
307 Alpha-to	ocopherol		
304 L-Ascor	byl palmitate	200 mg/kg fat	

-			
300	L-Ascorbic acid		
301	Sodium ascorbate	50 mg, expressed as ascorbic acid	
303	Potassium ascorbate		
302	Calcium ascorbate	20 mg, expressed as ascorbic acid	
Raisin	g Agents		
503 i	Ammonium carbonate		
503 ii	Ammonium hydrogen carbonate	Limited by GMP	
500 i	Sodium carbonate		
500 ii	Sodium hydrogen carbonate	1	
Thicke	ners		
410	Carob bean gum		
412	Guar gum		
414	Gum arabic	-	
		1000 mg singly or in combination	
415	Xanthan gum	-	
		2000 mg in gluten-free cereal-based foods	
440	Pectins (Amidated and Non- Amidated)	-	
1404	Oxidized starch		
1410	Monostarch phosphate		
1412	Distarch phosphate		
1413	Phosphated distarch phosphate		
1414	Acetylated distarch phosphate	5000 mg	
1422	Acetylated distarch adipate	Singly or in combination	
1420	Starch acetate esterified with acetic anhydride	1	
1450	Starch sodium octenyl succinate		
1451	Acetylated oxidized starch		
Antica	king Agents		
551	Silicon dioxide (amorphous)	200 mg for dry cereals only	
Packag	ging Gases		
290	Carbon dioxide	GMP	
941	Nitrogen	GMP	
	1		

5. CONTAMINANTS

5.1 Pesticide residues

The product shall be prepared with special care under good manufacturing practices, so that residues of those pesticides which may be required in the production, storage or processing of the raw materials or the finished food ingredient do not remain, or, if technically unavoidable, are reduced to the maximum extent possible.

These measures shall take into account the specific nature of the products concerned and the specific population group for which they are intended.

5.2 Other contaminants

The product shall be free from residues of hormones, antibiotics as determined by means of agreed methods of analysis and practically free from other contaminants, especially pharmacologically active substances.

6. HYGIENE

It is recommended that the products covered by the provisions of this standard be prepared and handled in accordance with the appropriate sections of the *General Principles of Food Hygiene* (CAC/RCP 1 1969), and other relevant Codex texts such as Codes of Hygienic Practice and Codes of Practice.

The product should comply with any microbiological criteria established in accordance with the *Principles* and *Guidelines* for the Establishment and Application of Microbiological Criteria Related to Foods (CAC/GL 21-1997).

7. PACKAGING

- 7.1 The product shall be packed in containers which will safeguard the hygienic and other qualities of the food.
- **7.2** The containers, includig packaging material, shall be made only of substances which are safe and suitable for their intended use. Where the Codex Alimentarius Commission has established a standard for any such substance used as packaging material, that standard shall apply.

8. LABELLING

- **8.1.1** The requirements of the General Standard for the Labelling of Prepackaged Foods (CODEX STAN 1-1985), the Guidelines on Nutrition Labelling (CAC/GL 2-1985) and the Guidelines for Use of Nutrition and Health Claims (CAC/GL 23-1997) apply to this standard. With specific reference to section 7 of the General Standard for the Labelling of Prepackaged Foods national jurisdictions may further restrict the use of pictorial devices.
- **8.1.2** Taking into account paragraph 1.4 of the *Guidelines for Use of Nutrition and Health Claims*, nutrition claims may be permitted under national legislation for the foods that are the subject of the standard provided that they have been demonstrated in rigorous studies with adequate scientific standards.
- **8.1.3** Any indication required in the labelling should be made in the appropriate language(s) of the country in which the product is sold.

8.2 The name of the food

The name of the food shall be "Dry Cereal for Infants (and/or Young Children)", "Rusks for Infants (and/or Young Children)" or "Biscuits (or "Milk Biscuits") for Infants (and/or Young Children)" or "Pasta for Infants (and/or Young Children)", or any appropriate designation indicating the true nature of the food, in accordance with national legislation.

8.3 List of ingredients

- **8.3.1** A complete list of ingredients shall be declared on the label in descending order of proportion except that in the case of added vitamins and minerals, these may be arranged as separate groups for vitamins and minerals, respectively, and within these groups the vitamins and minerals need not be listed in descending order of proportion.
- **8.3.2** The specific name shall be declared for ingredients and food additives. In addition, appropriate class names for these ingredients and additives may be included on the label.

8.4 Declaration of nutritive value

- **8.4.1** The declaration of nutrition information shall contain the following information which should be in the following order:
 - a) The energy value, expressed in kilocalories (kcal) and kilojoules (kJ), and the amount of protein, carbohydrate and fat expressed in grammes (g) per 100 g or 100 ml of the food as sold, and where appropriate, as per specified quantity of the food as suggested for consumption;
 - b) The average amount of each vitamin and mineral for which specific levels are defined in section 3.6 and 3.7 expressed in numerical form per 100g or 100 ml of the food as sold and, where appropriate, as per specified quantity of the food as suggested for consumption;
 - c) Any other nutritional information required by national legislation.
- **8.4.2** The labelling may bear the average amount of the vitamins and minerals when their declaration is not covered by the provisions of section 8.4.1 (b) expressed in numerical form per 100g or 100 ml of the product as sold and, where appropriate, per specified quantity of the food as suggested for consumption.

8.5 Date marking and storage instructions

- **8.5.1** The date of minimum durability (preceded by the words "best before") shall be declared by the day, month and year in uncoded numerical sequence except that for products with a shelf-life of more than three months, the month and year will suffice. The month may be indicated by letters in those countries where such use will not confuse the consumer. In the case of products requiring a declaration of month and year only, and the shelf-life of the product is valid to the end of a given year, the expression "end (stated year)" may be used as an alternative.
- **8.5.2** In addition to the date, any special conditions for the storage of the food shall be indicated if the validity of the date depends thereon.
- **8.5.3** Where practicable, storage instructions shall be in close proximity to the date marking.

8.6 Information for utilization

- **8.6.1** Directions as to the preparation and use of the food, and its storage and keeping before and after the container has been opened, shall appear on the label and may also appear on the accompanying leaflet.
- **8.6.2** For products covered by 2.1.1, directions on the label shall state "Milk or formula but no water shall be used for dilution or mixing" or an equivalent statement.
- **8.6.3** When the product is composed of gluten-free ingredients and food additives, the label may show the statement "gluten-free"¹.
- **8.6.4** The label shall indicate clearly from which age the product is recommended for use. This age shall not be less than six months for any product. In addition, the label shall include a statement indicating that the decision when precisely to begin complementary feeding, including any exception to six months of age, should be made in consultation with a health worker, based on the individual infant's specific growth and development needs. Additional requirements in this respect may be made in accordance with the legislation of the country in which the product is sold.

8.7 Additional requirements

The products covered by this standard are not breast-milk substitutes and shall not be presented as such.

9. METHODS OF ANALYSIS AND SAMPLING

See Section on methods in the Standard for Infant Formula.

In addition:

Detection of Irradiated Foods

Codex General Methods.

¹ Standard for Foods for Special Dietary Use for Persons Intolerant to Gluten (CODEX STAN 118-1979).